New Excavation & Trench Safety Regulation

After the death of a four year old who fell into an open trench, the State has passed the following section of law 520 CMR 14.00 which is summarized below. Individuals seeking more information can access the state web site at www.mass.gov/dps. Local permits will be required, as mandated by the state, beginning March 1, 2009. Please contact the Town Hall at 8585 or the DPW at 6007 for additional information.

- This new PUBLIC SAFETY regulation is required by statute and is designed to prevent the general public from falling into an unattended trench and suffering an injury or fatality.
- Under the new regulation, a trench is defined as a subsurface excavation greater than 3' in depth, and is 15 feet or less between soil walls as measured from the bottom.
- All regulated trenches must be attended, covered, barricaded, or backfilled. Covers must
 be road plates at least ¾" thick or equivalent, barricades must be fences at least 6' high
 with no openings greater than 4" between vertical supports and all horizontal supports
 required to be located on the trench-side of the fencing.
- This applies to all construction-related trenches on public ways, public property, or private property.
- To ensure that all excavators are aware of and follow these new public safety regulations, a permit will be required prior to excavation of all regulated trenches.
- All excavators must obtain a trench permit for each trench site. The new trench permit
 will require information such as the name of excavator, the location of trench, a
 certificate of insurance, and the Dig Safe number.
- Under the regulation, municipalities must designate a permitting authority to issue the
 required permits for trenches on public ways or private property within the municipality.
 For state property, the relevant state authority will issue the permits.
- Municipalities may collect a reasonable fee to cover administrative costs of issuing permits.
- Permitting authorities are not required to conduct inspections of trenches for which they
 have issued permits. However, a permitting authority notified of a potential violation is
 authorized to take action, including an immediate shutdown, if violations of the new
 regulation are identified. Excavators may also be subject to administrative fines issued by
 the Department of Public Safety for violations.
- Municipal or state departments conducting excavations, such as a municipal water department or state highway authority, will be required to obtain a new trench permit.
- This new regulation in no way modifies or supersedes existing trench worker safety regulations. Workers in trenches must comply with the existing OSHA Excavation Standard, 29 CFR 1926, Subpart P. This new public safety regulation is entirely separate from and has no relationship to the existing trench worker safety standard.
- This is only a summary of the regulation. Please read the full regulation and obtain further information at www.mass.gov/dps or www.mass.gov/dos.



Town of Granville

707 Main Road, PO Box 247 Granville, MA 01034 Phone (413)357-8585 FAX (413)357-6002

Permit Number	
Date Issued	
Expiration Date	30.410-10.00.0011311111111111111111111111111

TRENCH PERMIT Pursuant to G.L. c. 82A §1 and 520 CMR 7.00 et seq.(as amended)

THIS PERMIT MUST BE FULLY COMPLETED PRIOR TO CONSIDERATION

Name of Applicant			Phone	Cell
Street Address				
City/Town	MA	ZIP		
Name of Excavator (if different from applicant)		Phone	Cell	
Street Address				
City/Town	MA	ZIP		
Name of Owner(s) of P	roperty		Phone	Cell
Street Address				
City/Town	MA	ZIP		
Other Contact		Pern	nit Fee Received No() Y	'es ()
	(-8, 1-1,		ease use reverse side if addi	tronar space is needed.
Insurance Certificate #:				
Name and Contact Info	rmation of Insur	er:		
Policy Expiration Date:				102-7
Dig Safe #:				
Name of Competent Per	rson (as defined	by 520 CMR 7.0	2):	
		7-10-10-10-10-10-10-10-10-10-10-10-10-10-	Expiration	Date:

Massachusetts Hoisting License #	
License Grade:	
THAT THEY ARE FAMILIAR WITH, OR, BEFORE COMMITH, ALL LAWS AND REGULATIONS APPLICABLE TO G.L. c. 82A, 520 CMR 7.00 et seq., AND ANY APPREGULATIONS AND THEY COVENANT AND AGREE TO THE SECOND SEC	AND EXCAVATOR ALL ACKNOWLEDGE AND CERTIFY MENCEMENT OF THE WORK, WILL BECOME FAMILIAR O WORK PROPOSED, INCLUDING OSHA REGULATIONS, PLICABLE MUNICIPAL ORDINANCES, BY-LAWS AND IAT ALL WORK DONE UNDER THE PERMIT ISSUED FOR RESPECTS AND WITH THE CONDITIONS SET FORTH
EXCAVATOR TO UNDERTAKE SUCH WORK ON TH DURATION OF CONSTRUCTION, AUTHORIZES PERS	PPLICANT TO APPLY FOR THE PERMIT AND THE E PROPERTY OF THE OWNER, AND ALSO, FOR THE SONS DULY APPOINTED BY THE MUNICIPALITY TO INSPECT THE WORK FOR CONFORMITY WITH THE D REGULATIONS GOVERING SUCH WORK.
THE UNDERSIGNED APPLICANT, OWNER AND EXCAVAREIMBURSE THE MUNICIPALITY FOR ANY AND ALL OMUNICIPALITY IN CONNECTION WITH THIS PERMIT AND INCLUDING BUT NOT LIMITED TO ENFORCING THE RESERVENT, INSPECTIONS MADE TO ASSURE COMPLY MUNICIPALITY TO PROTECT THE PUBLIC WHERE THE COMPLY THEREWITH INCLUDING POLICE DETAILS AN NECESSARY BY THE MUNICIPALITY.	OSTS AND EXPENSES INCURRED BY THE AND THE WORK CONDUCTED THEREUNDER, EQUIREMENTS OF STATE LAW AND CONDITIONS OF LIANCE THEREWITH, AND MEASURES TAKEN BY THE E APPLICANT OWNER OR EXCAVATOR HAS FAILED TO
INDEMNIFY, AND HOLD HARMLESS THE MUNICIPAL ANY AND ALL LIABILITY, CAUSES OR ACTION, COST	ATOR AGREE JOINTLY AND SEVERALLY TO DEFEND, ITY AND ALL OF ITS AGENTS AND EMPLOYEES FROM S, AND EXPENSES RESULTING FROM OR ARISING OUT ANY PERSON OR PROPERTY DURING THE WORK
APPLICANT SIGNATURE	
DATE	
EXCAVATOR SIGNATURE (IF DIFFERENT)	
DATE	
OWNER'S SIGNATURE (IF DIFFERENT)	
DATE:	

For City/Town use - Do not write in this section				
PERMIT APPROVED BY	S Application Fee			
PERMITTING AUTHORITY Date				
CONDITIONS OF APPROVAL				
	海田 医基础图图 第二次 医二种 医			

By signing the application, the applicant understands and agrees to comply with the following:

- i. No trench may be excavated unless the requirements of sections 40 through 40D of chapter 82, and any accompanying regulations, have been met and this permit is invalid unless and until said requirements have been complied with by the excavator applying for the permit including, but not limited to, the establishment of a valid excavation number with the underground plant damage prevention system as said system is defined in section 76D of chapter 164 (DIG SAFE);
- ii. Trenches may pose a significant health and safety hazard. Pursuant to Section 1 of Chapter 82 of the General Laws, an excavator shall not leave any open trench unattended without first making every reasonable effort to eliminate any recognized safety hazard that may exist as a result of leaving said open trench unattended. Excavators should consult regulations promulgated by the Department of Public Safety in order to familiarize themselves with the recognized safety hazards associated with excavations and open trenches and the procedures required or recommended by said department in order to make every reasonable effort to eliminate said safety hazards which may include covering, barricading or otherwise protecting open trenches from accidental entry.
- Persons engaging in any in any trenching operation shall familiarize themselves with the federal safety standards
 promulgated by the Occupational Safety and Health Administration on excavations; 29 CFR 1926.650 et.seq., entitled
 Subpart P "Excavations".
- iv. Excavators engaging in any trenching operation who utilize hoisting or other mechanical equipment subject to chapter 146 shall only employ individuals licensed to operate said equipment by the Department of Public Safety pursuant to said chapter and this permit must be presented to said licensed operator before any excavation is commenced;
- v. By applying for, accepting and signing this permit, the applicant hereby attests to the following: (1) that they have read and understands the regulations promulgated by the Department of Public Safety with regard to construction related excavations and trench safety; (2) that he has read and understands the federal safety standards promulgated by the Occupational Safety and Health Administration on excavations; 29 CMR 1926.650 et.seq., entitled Subpart P "Excavations" as well as any other excavation requirements established by this municipality; and (3) that he is aware of and has, with regard to the proposed trench excavation on private property or proposed excavation of a city or town public way that forms the basis of the permit application, complied with the requirements of sections 40-40D of chapter 82A.
- vi. This permit shall be posted in plain view on the site of the trench.

For additional information please visit the Department of Public Safety's website at www.mass.gov/dps

Summary of Excavation and Trench Safety Regulation (520 CMR 14.00 et seq.)

This summary was prepared by the Massachusetts Department of Public Safety pursuant to G.L.c.82A and does not include all requirements of the 520 CMR 14.00. To view the full regulation and G.L.c.82A, go to www/mass.gov/dps

Pursuant to M.G.L. c. 82, § 1, the Department of Public Safety, jointly with the Division of Occupational Safety, drafted regulations relative to trench safety. The regulation is codified in section 14.00 of title 520 of the Code of Massachusetts Regulations. The regulation requires all excavators to obtain a permit prior to the excavation of a trench made for a construction-related purpose on public or private land or rights-of-way. All municipalities must establish a local permitting authority for the purpose of issuing permits for trenches within their municipality. Trenches on land owned or controlled by a public (state) agency requires a permit to be issued by that public agency unless otherwise designated.

In addition to the permitting requirements mandated by statute, the trench safety regulations require that all excavators, whether public or private, take specific precautions to protect the general public and prevent unauthorized access to unattended trenches. Accordingly, unattended trenches must be covered, barricaded or backfilled. Covers must be road plates at least 4" thick or equivalent; barricades must be fences at least 6' high with no openings greater than 4" between vertical supports; backfilling must be sufficient to eliminate the trench. Alternatively, excavators may choose to attend trenches at all times, for instance by hiring a police detail, security guard or other attendant who will be present during times when the trench will be unattended by the excavator.

The regulations further provide that local permitting authorities, the Department of Public Safety, or the Division of Occupational Safety may order an immediate shutdown of a trench in the event of a death or serious injury; the failure to obtain a permit; or the failure to implement or effectively use adequate protections for the general public. The trench shall remain shutdown until re-inspected and authorized to re-open provided, however, that excavators shall have the right to appeal an immediate shutdown. Permitting authorities are further authorized to suspend or revoke a permit following a hearing. Excavators may also be subject to administrative fines issued by the Department of Public Safety for identified violations.